		E (e) Coaren	,			
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	2	(*6877117*).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 13:07
L20	2245	(369/275.1).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 18:10
L21	622	(363/59).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 18:10
L22	333	(720/718).OCLS.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 18:10
L23	1566	(327/536).OCLS.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 18:10
L24	0	20 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:11
L25	0	22 and 23	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:11

		2101 0001011	•			
S1	2	(*6052295").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/26 11:33
S2	38	(((((integrated adj2 circuit) IC chip)same electronic\$1) and (photosensitive near5 (sensor ditector))) and (optical near5 (disc disk)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 17:44
83	25	S2 and @ad< "20020708"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:26
S4	184211	(disc disk CD DVD (record\$3 adj2 medium)) same (IC chip (integrated adj2 circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:08
S5	47143	S4 and @ad< "20020708"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:20
S6	80019	(disc disk CD DVD (record\$3 adj2 medium)) with (IC chip (integrated adj2 circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:08
S7	29320	S6 and @ad< "20020708"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:10

		Bior coaron	,			
\$8	6548	S7 and voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2007/11/09 10:10
\$9	1298	S7 and (voltage near5 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:15
S10	2	S9 and (photo\$sensitive near5 sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:11
S11	888	S9 and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 13:47
S12	380	St1 and micro\$processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 13:47
S13	200	S12 and sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:34
S14	36	S13 and photo\$sensitive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:17

		2101 0001011	,			
S15	16581	S7 and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 13:47
S16	4733	S15 and micro\$processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 14:13
S17	80050	(disc disk CD DVD (record\$3 adj2 medium)) with (IC chip (integrated adj2 drouit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:20
S18	29322	S17 and @ad< "20020708"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:23
S19	102201	(*369").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 15:24
\$20	1009	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:33
S21	5621	("720").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 15:33

			•			
S22	71	S18 and S≥1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:33
S23	97872	(IC (integrated adj2 circuit) chip) with (photo\$1 light)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:41
\$24	49212	\$23 and @ad< "20020708"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:42
\$25	6351	S24 and (disc disk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:27
S2 6	2565	S25 and sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:27
\$27	730	S26 and micro\$processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:28
\$28	632	S27 and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:28

		E to r couron	,			
S29	108	\$28 and photo\$sensitive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:29
\$30	51	(IC (integrated adj2 circuit) chip) with (photo\$sensitive adj2 sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:42
\$31	21	\$30 and @ad< "20020708"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 16:42
S32	2	("20070211589").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/26 11:35
\$33	2	("20050207319").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/26 11:36
\$34	2	("20050207320").FN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/26 11:36
\$35	97872	(IC (integrated adj2 circuit) chip) with (photo\$1 light)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 13:50

S36	49212	S35 and @ad< "20020708"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 15:37
\$37	6351	S36 and (disc disk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 13:50
\$38	2565	S37 and sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 13:50
S39	730	S38 and micro\$processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:06
\$40	0	S39 and (holding adj2 period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEPWENT; IBM_TDB	OR	ON	2007/11/26 13:51
S41	14	S36 and (holding adj2 period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 15:33
S42	2	(stand\$by adj2 circuit) and (holding adj2 period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 15:36

		Dier coaren	,			
S43	325	(stand\$by adj2 circuit) and micro\$processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 15:36
S44	217	S43 and @ad<"20020708"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 15:37
\$45	35	S44 and idle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 15:37
S46	30	S45 and voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 15:38
S47	2183	(369/275.1).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 19:06
S48	603	(363/59).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 19:08
S49	0	S47 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:09

S50	297	(720/718).CCLS.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 19:09
S51	2	(*20050242869*),PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 14:38
S52	2	(*6840627").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 16:32
S53	660705	(light photo laser ray beam) with (capacit\$4 charge hold\$3 voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 14:58
S54	71815	light with capacit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 14:59
S55	12052	S54 and disc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:01
S56	10741	S55 and time	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:01

			,			
S57	2370	S56 and IC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:04
S58	1029	S57 and sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:36
S59	911	S58 and voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:37
S60	270	S59 and microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:40
S61	1588	(hold\$3 near3 state) with light	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:08
S62	255	S61 and (disc disk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:09
S63	29161	hold\$3 near3 period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:06

			,			
S64	5488	S63 and disc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:07
S65	2369	S64 and light	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:07
S66	775	S65 and sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:08
S67	774	S66 and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:08
S68	88	S67 and IC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEPWENT; IBM_TDB	OR	ON	2008/06/11 10:09
S69	300	S67 and microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:09
S70	246424	(photo\$5 light) near9 sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:37

S71	149740	((storage adj2 medium) disc disk CD DVD) same (IC (integrated adj2 circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:39
S72	2989	S70 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:40
S73	8887350	(capacit\$4 charg\$4 (hold\$3 adj2 state) (hold\$3 period))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:41
S74	2710	S72 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:42
S75	310222	clock\$1 near3 signal\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:43
S76	335	S74 and S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:43
S77	327	S76 and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:44

S78	318	S77 and light	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 19:44
-----	-----	---------------	--	----	----	------------------

6/19/2008 6:15:24 PM Page 13